



PURPOSE

RB Pulling Tool is a tool that helps in fetching the subsurface devices that have fishing necks. The tool has long core but can not go far as it has short reach. However, timely inspection is needed to protect the tool from getting damaged, deformity, and cracking.

ASSEMBLY PARTS

- 1. Fishneck
- 2. Spring Sleeve
- 3. Core
- 4. Core Spring
- 5. Shear Pin Cover
- 6. Skirt
- 7. Dog Spring
- 8. Dog Washer
- 9. Dog

OPERATION

Used when there is a need to jar up or shear off of a subsurface tool and/or fish when a jar down tool is not desired.

The core may be easily changed out in the field to allow for deeper or shallower reach depending on application.

PRECAUTIONS

Care should be taken to inspect the dogs, skirt, and fishneck for damage such as metal fatigue, cracking, or deformity of the metal.

(Sizes on next page)

When ordering please specify part name and size. Call us Toll Free: 1-800-438-0061

| Nominal Size | | 0.75" | 1.25" | 1.50" | 2.00" |
|-------------------------|-----------------|--------------|--------------|--------------|--------------|
| Assembly Number | | 0301BRB075A0 | 0302RB125A0 | 0302RB150A0 | 0302RB200A0 |
| Item | Part Name | | | | |
| 1 | Fishneck | 0301BR07501 | 0302R12501 | 0302R15001 | 0302R20001 |
| 2 | Spring Sleeve | 0301BR07503 | - | | 0302R20002 |
| 3 | B Core | 0301BB07505 | 0302R12503 | 0302R15003 | 0302R20003 |
| 4 | Core Spring | 0301B07504 | 0302R12504 | 0302R15004 | 0302R20004 |
| 5 | Shear Pin Cover | | 0302R12505 | 0302R15005 | 0302R20005 |
| 6 | Skirt | 0301B07506 | 0302R12506 | 0302R15006 | 0302R20006 |
| 7 | Dog Spring | 0302R07507 | 0302R12507 | 0302R15007 | 0302R20007 |
| 8 | Dog Washer | 0302R07508 | 0302R12508 | 0302R15008 | 0302R20008 |
| 9 | Dog | 0302R07509 | 0302R12509 | 0302R15009 | 0302R20009 |
| Top Thread Connection | | 0.625"-11 UN | 0.625"-11 UN | 0.938"-10 UN | 0.938"-10 UN |
| Lower Thread Connection | | | 0.25"-20 NC | 0.50"-13 UNC | 0.50"-13 UNC |
| Max O.D. | | 0.968 | 1.22" | 1.42" | 1.77" |
| Fishneck size latched | | 0.75" | 1.00" | 1.187" | 1.375" |
| Fishneck Size | | 0.75" | 1.00" | 1.187" | 1.37" |
| Reach | | 0.892" | 1.218" | 1.265" | 1.219" |

(Sizes continue on next page)

3. pulling tools

When ordering please specify part name and size. Call us Toll Free: 1-800-438-0061

| Nominal Size | | 2.50" | 3.00" | 4.00" |
|-------------------------|-----------------|--------------|---------------|--------------|
| Assembly Number | | 0302RB250A0 | 0302RB300A0 | 0302RB400A0 |
| Item | Part Name | | | |
| 1 | Fishneck | 0302R25001 | 0302R30001 | 0302R40001 |
| 2 | Spring Sleeve | 0302R25002 | | |
| 3 | B Core | 0302R25003 | 0302R30003 | 0302R40003 |
| 4 | Core Spring | 0302R25004 | 0302R30004 | 0302R40004 |
| 5 | Shear Pin Cover | 0302R25005 | 0302R30005 | 0302R40005 |
| 6 | Skirt | 0302R25006 | 0302R30006 | 0302R40006 |
| 7 | Dog Spring | 0302R25007 | 0302R30007 | 0302R40007 |
| 8 | Dog Washer | 0302R25008 | 0302R30008 | 0302R40008 |
| 9 | Dog | 0302R25009 | 0302R30009 | 0302R40009 |
| Top Thread Connection | | 0.938"-10 UN | 1.062"-10 UN | 1.062"-10 UN |
| Lower Thread Connection | | 0.50"-13 UNC | 0.625"-10 UNC | 1.25"-12 UN |
| Max O.D. | | 2.18" | 2.74" | 3.66" |
| Fishneck size latched | | 1.95" | 2.31" | 3.12" |
| Fishneck Size | | 1.375" | 2.31" | 2.31" |
| Reach | | 1.203" | 1.30" | 1.49" |

3. pulling tools

When ordering please specify part name and size. Call us Toll Free: 1-800-438-0061